



**Part Number  
Coding Booklet**

**Theta Series - TTHz**

---

**Theta HZ- Frequency Transducer**

Product Code	TT25-	X	XX	X	X	X	X	X	XXXXX
<b>Input (F) Range</b>	45-55Hz 45-55	6	8F						
	55-65Hz 55-65	B							
	48-52Hz 48-52	A							
	45-65Hz 45-65	7							
<b>Input (V) Range</b>	100-500V								
<b>Power Supply</b>	60-300V AC/DC			H	1				
	24-60V AC/DC			F					
<b>Output</b>	1 O/P 10								
	2 O/P 20				2				
<b>Display Module</b>	With Display D						D		
	Without Display WD						Z		
<b>RS 485 Module</b>	With RS-485 485 R							R	
	Without RS-485 Z							Z	
<b>Prog. Cable</b>	With PRKAB 601 PRK P								C
	Without PRKAB 601 Z								Z
<b>Version</b>	Standard								00000

**Commonly Used Ranges for Theta HZ-**

TT25-78FF2DRZ00000	HZ 45-65; Input: 100-500V AC; Aux: 24-60VACDC; 2Output; Display; RS485
TT25-78FH2DRZ00000	HZ 45-65; Input: 100-500V AC; Aux: 60-300VACDC; 2Output; Display; RS485



Email: [psk@sifamtinsley.com](mailto:psk@sifamtinsley.com) | Web: [www.sifamtinsley.com](http://www.sifamtinsley.com)

Phone: 404.736.4903 | Fax: +1 678 881 0008 x 701 | Toll Free: 800 879 6171

3105 Creekside Village Dr, Unit 801, Kennesaw GA 30144