













5RL

| Product Code      | XA53-         | XX | X  | XX | X | X | XX | XX | XX |
|-------------------|---------------|----|----|----|---|---|----|----|----|
| Primary Current   | 50A           | 01 |    |    |   |   |    |    |    |
|                   | 60A           | 02 |    |    |   |   |    |    |    |
|                   | 75A           | 03 |    |    |   |   |    |    |    |
|                   | 80A           | 04 |    |    |   |   |    |    |    |
|                   | 100A          | 05 |    |    |   |   |    |    |    |
|                   | 120A          | 06 |    |    |   |   |    |    |    |
|                   | 125A          | 07 |    |    |   |   |    |    |    |
|                   | 150A          | 08 |    |    |   |   |    |    |    |
|                   | 200A          | 09 |    |    |   |   |    |    |    |
|                   | 250A          | 10 |    |    |   |   |    |    |    |
|                   | 300A          | 11 |    |    |   |   |    |    |    |
|                   | 400A          | 12 |    |    |   |   |    |    |    |
|                   | 500A          | 13 |    |    |   |   |    |    |    |
|                   | 600A          | 14 |    |    |   |   |    |    |    |
|                   | 750A          | 15 |    |    |   |   |    |    |    |
|                   | 800A          | 16 |    |    |   |   |    |    |    |
|                   | 1000A         | 17 |    |    |   |   |    |    |    |
|                   | 1200A         | 18 |    |    |   |   |    |    |    |
| Secondary Current | 1A            |    | 1  |    |   |   |    |    |    |
|                   | 5A            |    | 5  |    |   |   |    |    |    |
| VA Rating         | 0.5           |    |    | 06 |   |   |    |    |    |
|                   | 1             |    |    | 07 |   |   |    |    |    |
|                   | 1.5           |    |    | 08 |   |   |    |    |    |
|                   | 2             |    |    | 09 |   |   |    |    |    |
|                   | 2.5           |    |    | 10 |   |   |    |    |    |
|                   | 3             |    |    | 11 |   |   |    |    |    |
|                   | 3.5           |    |    | 12 |   |   |    |    |    |
|                   | 4             |    |    | 13 |   |   |    |    |    |
|                   | 4.5           |    |    | 14 |   |   |    |    |    |
|                   | 6             |    |    | 15 |   |   |    |    |    |
|                   | 7             |    |    | 16 |   |   |    |    |    |
|                   | 7.5           |    |    | 17 |   |   |    |    |    |
|                   | 8             |    |    | 18 |   |   |    |    |    |
|                   | 10            |    |    | 19 |   |   |    |    |    |
|                   | 12.5          |    |    | 20 |   |   |    |    |    |
|                   | 15            |    |    | 21 |   |   |    |    |    |
|                   | 20            |    |    | 22 |   |   |    |    |    |
|                   | 25            |    |    | 23 |   |   |    |    |    |
|                   | 30            |    |    | 24 |   |   |    |    |    |
|                   | 30.5          |    |    | 25 |   |   |    |    |    |
|                   | 35            |    |    | 26 |   |   |    |    |    |
|                   | 40            |    |    | 27 |   |   |    |    |    |
|                   | 45            |    |    | 28 |   |   |    |    |    |
| 50                |               |    | 29 |    |   |   |    |    |    |
| 60                |               |    | 30 |    |   |   |    |    |    |
| 75                |               |    | 31 |    |   |   |    |    |    |
| 90                |               |    | 32 |    |   |   |    |    |    |
| 5                 |               |    | 33 |    |   |   |    |    |    |
| Accuracy Class    | 1%            |    |    |    | 6 |   |    |    |    |
|                   | 1.5%          |    |    |    | 7 |   |    |    |    |
|                   | 2%            |    |    |    | 8 |   |    |    |    |
|                   | 3%            |    |    |    | 9 |   |    |    |    |
| Frequency         | 60 Hz         |    |    |    |   | S |    |    |    |
| Carrying Case     | Sifam Tinsley |    |    |    |   |   | ST |    |    |
| Type              | Non-Ansi      |    |    |    |   |   | NA | 00 |    |

5DRL

| Product Code      | XA54-         | XX | X  | XX | X | X | XX | XX | XX |
|-------------------|---------------|----|----|----|---|---|----|----|----|
| Primary Current   | 50A           | 01 |    |    |   |   |    |    |    |
|                   | 60A           | 02 |    |    |   |   |    |    |    |
|                   | 75A           | 03 |    |    |   |   |    |    |    |
|                   | 80A           | 04 |    |    |   |   |    |    |    |
|                   | 100A          | 05 |    |    |   |   |    |    |    |
|                   | 120A          | 06 |    |    |   |   |    |    |    |
|                   | 125A          | 07 |    |    |   |   |    |    |    |
|                   | 150A          | 08 |    |    |   |   |    |    |    |
|                   | 200A          | 09 |    |    |   |   |    |    |    |
|                   | 250A          | 10 |    |    |   |   |    |    |    |
|                   | 300A          | 11 |    |    |   |   |    |    |    |
|                   | 400A          | 12 |    |    |   |   |    |    |    |
|                   | 500A          | 13 |    |    |   |   |    |    |    |
|                   | 600A          | 14 |    |    |   |   |    |    |    |
|                   | 750A          | 15 |    |    |   |   |    |    |    |
|                   | 800A          | 16 |    |    |   |   |    |    |    |
|                   | 1000A         | 17 |    |    |   |   |    |    |    |
|                   | 1200A         | 18 |    |    |   |   |    |    |    |
| Secondary Current | 1A            |    | 1  |    |   |   |    |    |    |
|                   | 5A            |    | 5  |    |   |   |    |    |    |
| VA Rating         | 0.5           |    |    | 06 |   |   |    |    |    |
|                   | 1             |    |    | 07 |   |   |    |    |    |
|                   | 1.5           |    |    | 08 |   |   |    |    |    |
|                   | 2             |    |    | 09 |   |   |    |    |    |
|                   | 2.5           |    |    | 10 |   |   |    |    |    |
|                   | 3             |    |    | 11 |   |   |    |    |    |
|                   | 3.5           |    |    | 12 |   |   |    |    |    |
|                   | 4             |    |    | 13 |   |   |    |    |    |
|                   | 4.5           |    |    | 14 |   |   |    |    |    |
|                   | 6             |    |    | 15 |   |   |    |    |    |
|                   | 7             |    |    | 16 |   |   |    |    |    |
|                   | 7.5           |    |    | 17 |   |   |    |    |    |
|                   | 8             |    |    | 18 |   |   |    |    |    |
|                   | 10            |    |    | 19 |   |   |    |    |    |
|                   | 12.5          |    |    | 20 |   |   |    |    |    |
|                   | 15            |    |    | 21 |   |   |    |    |    |
|                   | 20            |    |    | 22 |   |   |    |    |    |
|                   | 25            |    |    | 23 |   |   |    |    |    |
|                   | 30            |    |    | 24 |   |   |    |    |    |
|                   | 30.5          |    |    | 25 |   |   |    |    |    |
|                   | 35            |    |    | 26 |   |   |    |    |    |
|                   | 40            |    |    | 27 |   |   |    |    |    |
|                   | 45            |    |    | 28 |   |   |    |    |    |
| 50                |               |    | 29 |    |   |   |    |    |    |
| 60                |               |    | 30 |    |   |   |    |    |    |
| 75                |               |    | 31 |    |   |   |    |    |    |
| 90                |               |    | 32 |    |   |   |    |    |    |
| 5                 |               |    | 33 |    |   |   |    |    |    |
| Accuracy Class    | 1%            |    |    |    | 6 |   |    |    |    |
|                   | 1.5%          |    |    |    | 7 |   |    |    |    |
|                   | 2%            |    |    |    | 8 |   |    |    |    |
|                   | 3%            |    |    |    | 9 |   |    |    |    |
| Frequency         | 60 Hz         |    |    |    |   | S |    |    |    |
| Carrying Case     | Sifam Tinsley |    |    |    |   |   | ST |    |    |
| Type              | Non-Ansi      |    |    |    |   |   | NA | 00 |    |



6SFT

| Product Code      | XA61-         | XX | X  | XX | X | X  | XX | XX | XX |
|-------------------|---------------|----|----|----|---|----|----|----|----|
| Primary Current   | 50A           | 01 |    |    |   |    |    |    |    |
|                   | 60A           | 02 |    |    |   |    |    |    |    |
|                   | 75A           | 03 |    |    |   |    |    |    |    |
|                   | 80A           | 04 |    |    |   |    |    |    |    |
|                   | 100A          | 05 |    |    |   |    |    |    |    |
|                   | 120A          | 06 |    |    |   |    |    |    |    |
|                   | 125A          | 07 |    |    |   |    |    |    |    |
|                   | 150A          | 08 |    |    |   |    |    |    |    |
|                   | 200A          | 09 |    |    |   |    |    |    |    |
|                   | 250A          | 10 |    |    |   |    |    |    |    |
|                   | 300A          | 11 |    |    |   |    |    |    |    |
|                   | 400A          | 12 |    |    |   |    |    |    |    |
|                   | 500A          | 13 |    |    |   |    |    |    |    |
|                   | 600A          | 14 |    |    |   |    |    |    |    |
|                   | 750A          | 15 |    |    |   |    |    |    |    |
|                   | 800A          | 16 |    |    |   |    |    |    |    |
|                   | 1000A         | 17 |    |    |   |    |    |    |    |
|                   | 1200A         | 18 |    |    |   |    |    |    |    |
|                   | 1500A         | 19 |    |    |   |    |    |    |    |
| Secondary Current | 1A            |    | 1  |    |   |    |    |    |    |
|                   | 5A            |    | 5  |    |   |    |    |    |    |
| VA Rating         | 0.5           |    |    | 06 |   |    |    |    |    |
|                   | 1             |    |    | 07 |   |    |    |    |    |
|                   | 1.5           |    |    | 08 |   |    |    |    |    |
|                   | 2             |    |    | 09 |   |    |    |    |    |
|                   | 2.5           |    |    | 10 |   |    |    |    |    |
|                   | 3             |    |    | 11 |   |    |    |    |    |
|                   | 3.5           |    |    | 12 |   |    |    |    |    |
|                   | 4             |    |    | 13 |   |    |    |    |    |
|                   | 4.5           |    |    | 14 |   |    |    |    |    |
|                   | 6             |    |    | 15 |   |    |    |    |    |
|                   | 7             |    |    | 16 |   |    |    |    |    |
|                   | 7.5           |    |    | 17 |   |    |    |    |    |
|                   | 8             |    |    | 18 |   |    |    |    |    |
|                   | 10            |    |    | 19 |   |    |    |    |    |
|                   | 12.5          |    |    | 20 |   |    |    |    |    |
|                   | 15            |    |    | 21 |   |    |    |    |    |
|                   | 20            |    |    | 22 |   |    |    |    |    |
|                   | 25            |    |    | 23 |   |    |    |    |    |
|                   | 30            |    |    | 24 |   |    |    |    |    |
|                   | 30.5          |    |    | 25 |   |    |    |    |    |
|                   | 35            |    |    | 26 |   |    |    |    |    |
|                   | 40            |    |    | 27 |   |    |    |    |    |
|                   | 45            |    |    | 28 |   |    |    |    |    |
| 50                |               |    | 29 |    |   |    |    |    |    |
| 60                |               |    | 30 |    |   |    |    |    |    |
| 75                |               |    | 31 |    |   |    |    |    |    |
| 90                |               |    | 32 |    |   |    |    |    |    |
| 5                 |               |    | 33 |    |   |    |    |    |    |
| Accuracy Class    | 1%            |    |    | 6  |   |    |    |    |    |
|                   | 1.5%          |    |    | 7  |   |    |    |    |    |
|                   | 2%            |    |    | 8  |   |    |    |    |    |
|                   | 3%            |    |    | 9  |   |    |    |    |    |
| Frequency         | 60 Hz         |    |    |    | S |    |    |    |    |
| Carrying Case     | Sifam Tinsley |    |    |    |   | ST |    |    |    |
| Type              | Non-Ansi      |    |    |    |   |    | NA | 00 |    |

6SHT

| Product Code      | XA62-         | XX | X | XX | X | X  | XX | XX | XX |
|-------------------|---------------|----|---|----|---|----|----|----|----|
| Primary Current   | 50A           | 01 |   |    |   |    |    |    |    |
|                   | 60A           | 02 |   |    |   |    |    |    |    |
|                   | 75A           | 03 |   |    |   |    |    |    |    |
|                   | 80A           | 04 |   |    |   |    |    |    |    |
|                   | 100A          | 05 |   |    |   |    |    |    |    |
|                   | 120A          | 06 |   |    |   |    |    |    |    |
|                   | 125A          | 07 |   |    |   |    |    |    |    |
|                   | 150A          | 08 |   |    |   |    |    |    |    |
|                   | 200A          | 09 |   |    |   |    |    |    |    |
|                   | 250A          | 10 |   |    |   |    |    |    |    |
|                   | 300A          | 11 |   |    |   |    |    |    |    |
|                   | 400A          | 12 |   |    |   |    |    |    |    |
|                   | 500A          | 13 |   |    |   |    |    |    |    |
|                   | 600A          | 14 |   |    |   |    |    |    |    |
|                   | 750A          | 15 |   |    |   |    |    |    |    |
|                   | 800A          | 16 |   |    |   |    |    |    |    |
|                   | 1000A         | 17 |   |    |   |    |    |    |    |
|                   | 1200A         | 18 |   |    |   |    |    |    |    |
|                   | 1500A         | 19 |   |    |   |    |    |    |    |
| Secondary Current | 1A            | 1  |   |    |   |    |    |    |    |
|                   | 5A            | 5  |   |    |   |    |    |    |    |
| VA Rating         | 0.5           | 06 |   |    |   |    |    |    |    |
|                   | 1             | 07 |   |    |   |    |    |    |    |
|                   | 1.5           | 08 |   |    |   |    |    |    |    |
|                   | 2             | 09 |   |    |   |    |    |    |    |
|                   | 2.5           | 10 |   |    |   |    |    |    |    |
|                   | 3             | 11 |   |    |   |    |    |    |    |
|                   | 3.5           | 12 |   |    |   |    |    |    |    |
|                   | 4             | 13 |   |    |   |    |    |    |    |
|                   | 4.5           | 14 |   |    |   |    |    |    |    |
|                   | 6             | 15 |   |    |   |    |    |    |    |
|                   | 7             | 16 |   |    |   |    |    |    |    |
|                   | 7.5           | 17 |   |    |   |    |    |    |    |
|                   | 8             | 18 |   |    |   |    |    |    |    |
|                   | 10            | 19 |   |    |   |    |    |    |    |
|                   | 12.5          | 20 |   |    |   |    |    |    |    |
|                   | 15            | 21 |   |    |   |    |    |    |    |
|                   | 20            | 22 |   |    |   |    |    |    |    |
|                   | 25            | 23 |   |    |   |    |    |    |    |
|                   | 30            | 24 |   |    |   |    |    |    |    |
|                   | 30.5          | 25 |   |    |   |    |    |    |    |
|                   | 35            | 26 |   |    |   |    |    |    |    |
|                   | 40            | 27 |   |    |   |    |    |    |    |
|                   | 45            | 28 |   |    |   |    |    |    |    |
| 50                | 29            |    |   |    |   |    |    |    |    |
| 60                | 30            |    |   |    |   |    |    |    |    |
| 75                | 31            |    |   |    |   |    |    |    |    |
| 90                | 32            |    |   |    |   |    |    |    |    |
| 5                 | 33            |    |   |    |   |    |    |    |    |
| Accuracy Class    | 1%            | 6  |   |    |   |    |    |    |    |
|                   | 1.5%          | 7  |   |    |   |    |    |    |    |
|                   | 2%            | 8  |   |    |   |    |    |    |    |
|                   | 3%            | 9  |   |    |   |    |    |    |    |
| Frequency         | 60 Hz         |    |   |    | S |    |    |    |    |
| Carrying Case     | Sifam Tinsley |    |   |    |   | ST |    |    |    |
| Type              | Non-Ansi      |    |   |    |   |    | NA | 00 |    |

6RL

| Product Code      | XA63-         | XX | X | XX | X | X  | XX | XX | XX |
|-------------------|---------------|----|---|----|---|----|----|----|----|
| Primary Current   | 50A           | 01 |   |    |   |    |    |    |    |
|                   | 60A           | 02 |   |    |   |    |    |    |    |
|                   | 75A           | 03 |   |    |   |    |    |    |    |
|                   | 80A           | 04 |   |    |   |    |    |    |    |
|                   | 100A          | 05 |   |    |   |    |    |    |    |
|                   | 120A          | 06 |   |    |   |    |    |    |    |
|                   | 125A          | 07 |   |    |   |    |    |    |    |
|                   | 150A          | 08 |   |    |   |    |    |    |    |
|                   | 200A          | 09 |   |    |   |    |    |    |    |
|                   | 250A          | 10 |   |    |   |    |    |    |    |
|                   | 300A          | 11 |   |    |   |    |    |    |    |
|                   | 400A          | 12 |   |    |   |    |    |    |    |
|                   | 500A          | 13 |   |    |   |    |    |    |    |
|                   | 600A          | 14 |   |    |   |    |    |    |    |
|                   | 750A          | 15 |   |    |   |    |    |    |    |
|                   | 800A          | 16 |   |    |   |    |    |    |    |
|                   | 1000A         | 17 |   |    |   |    |    |    |    |
|                   | 1200A         | 18 |   |    |   |    |    |    |    |
|                   | 1500A         | 19 |   |    |   |    |    |    |    |
| Secondary Current | 1A            | 1  |   |    |   |    |    |    |    |
|                   | 5A            | 5  |   |    |   |    |    |    |    |
| VA Rating         | 0.5           | 06 |   |    |   |    |    |    |    |
|                   | 1             | 07 |   |    |   |    |    |    |    |
|                   | 1.5           | 08 |   |    |   |    |    |    |    |
|                   | 2             | 09 |   |    |   |    |    |    |    |
|                   | 2.5           | 10 |   |    |   |    |    |    |    |
|                   | 3             | 11 |   |    |   |    |    |    |    |
|                   | 3.5           | 12 |   |    |   |    |    |    |    |
|                   | 4             | 13 |   |    |   |    |    |    |    |
|                   | 4.5           | 14 |   |    |   |    |    |    |    |
|                   | 6             | 15 |   |    |   |    |    |    |    |
|                   | 7             | 16 |   |    |   |    |    |    |    |
|                   | 7.5           | 17 |   |    |   |    |    |    |    |
|                   | 8             | 18 |   |    |   |    |    |    |    |
|                   | 10            | 19 |   |    |   |    |    |    |    |
|                   | 12.5          | 20 |   |    |   |    |    |    |    |
|                   | 15            | 21 |   |    |   |    |    |    |    |
|                   | 20            | 22 |   |    |   |    |    |    |    |
|                   | 25            | 23 |   |    |   |    |    |    |    |
|                   | 30            | 24 |   |    |   |    |    |    |    |
| 30.5              | 25            |    |   |    |   |    |    |    |    |
| 35                | 26            |    |   |    |   |    |    |    |    |
| 40                | 27            |    |   |    |   |    |    |    |    |
| 45                | 28            |    |   |    |   |    |    |    |    |
| 50                | 29            |    |   |    |   |    |    |    |    |
| 60                | 30            |    |   |    |   |    |    |    |    |
| 75                | 31            |    |   |    |   |    |    |    |    |
| 90                | 32            |    |   |    |   |    |    |    |    |
| 5                 | 33            |    |   |    |   |    |    |    |    |
| Accuracy Class    | 1%            | 6  |   |    |   |    |    |    |    |
|                   | 1.5%          | 7  |   |    |   |    |    |    |    |
|                   | 2%            | 8  |   |    |   |    |    |    |    |
|                   | 3%            | 9  |   |    |   |    |    |    |    |
| Frequency         | 60 Hz         |    |   |    | S |    |    |    |    |
| Carrying Case     | Sifam Tinsley |    |   |    |   | ST |    |    |    |
| Type              | Non-Ansi      |    |   |    |   |    | NA | 00 |    |









