



Part Number Coding Booklet

Theta Series - TT10

TT10 - Current and voltage Transducer

Product Code	TT10-	X	X	X	XX	XXXXXXXXXX	
Product Type	Theta 10A	A					
	Theta 10V	V					
Input Range	As per Table A		X				
Power Supply	40-300V AC/DC						G
	24-60V AC/DC						F
Output Range	0-1mA				25		
	0-10mA				30		
	0-20mA				32		
	4-20mA				55		
	2-10mA				54		
	0-5V				5F		
	0-10V				5H		
Version	Standard					00000000	

Table A for TT10

Voltage & Current	Code	Voltage & Current	Code	Voltage & Current	Code	Voltage & Current	Code
0-100V	6J	0-240V	7B	0-400V	7Q	120V	6L
0-110V	6K	0-250V	7D	0-415V	7R	12.5V	6P
0-150V	6W	0-300V	7G	0-440V	7S	1A	62
0-220V	6Z	0-330V	7M	0-450V	7T	5A	69
0-230V	7A	0-380V	7P	0-500V	7V	63.5	6D

Commonly used Ranges for Theta 10-

TT10-A62G5H0000000	Current; Input: 0-1A AC; Aux: 40-300VACDC; Output: 0-10V DC
TT10-A62G550000000	Current; Input: 0-1A AC; Aux: 40-300VACDC; Output: 4-20mA DC
TT10-A62F5H0000000	Current; Input: 0-1A AC; Aux: 24-60VACDC; Output: 0-10V DC
TT10-A62F550000000	Current; Input: 0-1A AC; Aux: 24-60VACDC; Output: 4-20mA DC
TT10-A69F250000000	Current; Input: 0-5A AC; Aux: 24-60VACDC; Output: 0-1mA DC
TT10-A69F550000000	Current; Input: 0-5A AC; Aux: 24-60VACDC; Output: 4-20mA DC
TT10-A69F5H0000000	Current; Input: 0-5A AC; Aux: 24-60VACDC; Output: 0-10V DC
TT10-A69G250000000	Current; Input: 0-5A AC; Aux: 40-300VACDC; Output: 0-1mA DC
TT10-A69G550000000	Current; Input: 0-5A AC; Aux: 40-300VACDC ; Output: 4-20mA DC
TT10-A69G5H0000000	Current; Input: 0-5A AC; Aux: 40-300VACDC ; Output: 0-10V DC

TT10-V6KG5H0000000	Voltage; Input: 110V AC; Aux: 40-300VACDC; Output: 0-10V DC
TT10-V6KG550000000	Voltage; Input: 110V AC; Aux: 40-300VACDC; Output: 4-20mA DC
TT10-V6KG250000000	Voltage; Input: 110V AC; Aux: 40-300VACDC; Output: 0-1mA DC
TT10-V6WG250000000	Voltage; Input: 150V AC; Aux: 40-300VACDC; Output: 0-1mA DC
TT10-V6WG550000000	Voltage; Input: 150V AC; Aux: 40-300VACDC; Output: 4-20mA DC
TT10-V6WG5H0000000	Voltage; Input: 150V AC; Aux: 40-300VACDC; Output: 0-10V DC
TT10-V7GG550000000	Voltage; Input: 300V AC; Aux: 40-300VACDC; Output: 4-20mA DC
TT10-V7GG250000000	Voltage; Input: 300V AC; Aux: 40-300VACDC; Output: 0-1mA DC
TT10-V7GG5H0000000	Voltage; Input: 300V AC; Aux: 40-300VACDC; Output: 0-10 VDC
TT10-V7VG5H0000000	Voltage; Input: 500V AC; Aux: 40-300VACDC; Output: 0-10V DC
TT10-V7VG550000000	Voltage; Input: 500V AC; Aux: 40-300VACDC; Output: 4-20mA DC
TT10-V7VG250000000	Voltage; Input: 500V AC; Aux: 40-300VACDC; Output: 0-1mA DC



Email: psk@sifamtinsley.com | Web: www.sifamtinsley.com

Phone: 404.736.4903 | Fax: +1 678 881 0008 x 701 | Toll Free: 800 879 6171

3105 Creekside Village Dr, Unit 801, Kennesaw GA 30144